Thank you Doctor





203, Sai Palace, Yogi Darshan Society Palsana, Surat Gujrat - 394315 visit us: www.ramboslifesciences.com

Quality & Service you can Trust





An intimate companion of motherhood....

EStrogest 200 Capsule 200 SR Tablet

Natural Micronised Progesterone 200mg Capsules
Natural Micronised Progesterone 200mg (SR) Tablets

- Exhibits similar molecular structure as indigenous progesterone
- Binds the specific Receptor's to induce specific Progestational effects

Indications:

- Luteal Phase Defect
- Habitual Abortion
- Premenopause
- Dysfunctional Uterine Bleeding



Safe

- No anderogenic & teratogenic effects
- No interference with osteoblast formation

In Typhoid, Respiratory Tract Infections & Skin & Soft Tissue Infections







Typhoid

Documented clinical success rate 95.23%

SSTIs

Documented clinical success rate - 93%

Respiratory Tract Infections

Cefpodoxime Proxetil 200mg Dispersible Tablets

- Acute Otitis Media 82.5%
 Pharyngitis/Tonsillitis 96.6%
- Bronchopneumonia 97.7%
- Hospitalised patients with Community-Acquired Pheuminia 89.9%

The Tough Combination for Tougher Situations

Cefpodoxime 200mg & Potassium Clavulanate 125mg Tablets

- Excellent bacteriological & clinical efficacy in pediatric patients
- Broad spectrum of antibacterial activity
- Extremely low MIC values against common respiratory pathogens
- · Clavulanate inhibits Beta-lactamase, increases kill power of Cefpodoxime

Indications

Pharyngitis — Tonsillitis — Abscess
 Acute Otitis Media

For Relieving GERD Symptoms

R-First-DSR

Rabeprazole 20mg + Domperidone 30mg (SR) Capsules

RABEPRAZOLE

- Irreversible proton pump inhibitor that reduces gastric acid secretions.
- Possesses good efficiency in mucosal healing in patients with GERD and mild oesophagitis.

DOMPERIDONE

- Possesses prokinetic and antiemetic effects
- Used for its prokinetic actions in dyspepsia

For Treatment of Dyspepsia & Gastroparesis



Rabeprazole 20mg + Levosulpiride 30mg (SR) Capsules

Rabeprazole

- Fast onset of action.
 Provides potent & prolonged acid inhibition.
 Levosulpiride
- · Significantly accelerates G.I. motility.

Indications:

- Nausea Associated with Acid Peptic Disorders Dyspepsia
- Post-opertaive Nausea & Vomiting Chronic Gastritis GERD

Give your patient Iron Protection with



Indications

→ Pregnancy / Lactation → Chronic Blood Loss → Iron Deficiency Anaemia

The Xcellen T Iron Supplement

Iofer-XI

Ferrous Ascorbate 30mg + Folic Acid 550mcg (Each 5ml) Suspension

Indicated in:

- Microcytic anaemia
 Macrocytic anaemia
- Pregnancy & lactation
 Menorrhagia
 Worm infestation









- Prevents Progression of Hyperemesis Gravidarum.
- Folic Acid Prevents the Development of Neural tube defects.
- Well established safety & tolerability Profile.

In Pregnancy Associated

Nausea
 Vomiting
 Morning Sickness

V-PREG An essential care for joyful Pregnancy

Right Support When It is Needed The Most

RAMFOL-M

L-Methylfolate 1mg + Pyridoxal-5-Phosphate 0.5mg + Methylcobalamin 1500mcg **Tablets**

L - METHYLFOLATE

(bio-active Superior Form of Folic Acid)

- 7 Times More Bioavailable
- 3 Times more Effective in controlling Homocysteine Levels

PYRIDOXAL-5' - PHOSPHATE

(bio-active Superior Form of Pyridoxine)

 Only from which can be used by the Enzymes involved in Biochemical Process

Methylcobalamin

- Optimizes brain and retinal maturation in developing foetus Pharmacol Res, 2013 Apr:70(1):13-9.
- ·Prevent preterm birth

In.

- Iron deficiency anemia
- Pernicious anemiaPregnancy

Dosage:

1 Tablet a day or as prescribed by the physician

Speeds up blood production when needed most


Feminine Hygiene Partner



The Most Elegant, Gentle & Potent

Ideal Co-Rx in...

- Menstruation
- Pregnancy
- Post-Partum
- Infection
- Post-surgery



Unique formula of Lactic Acid for external cleansing &

VG-CURE

+Usable during Periods as well

- Leaves & fresh sensation and

to balance

PH level

Unique formula of Lactic Acid

for external

VG-CURE

*

When Movements Get Stuck Due To Pain

ETCOR 90 120

Etoricoxib 90mg/120mg Tablets

Indications:

Gouty Arthritis

Spondylitis

Osteoarthritis

Chronic Low Back Pain

When the matter of Balance & Safety ...



Indications:

- Chronic Low Back Pain

Acute Pain

Rheumatoid Arthritis

- Frozen Shoulder

Sprain & Strain

Ankylosing Spondylitis

In dysfunctional Uterine bleeding

NORTETONE

Norethisterone 5mg Tablets

- Used to treat premenstrual syndrome.
- Used to treat painful periods
- NORTETONE Used in delaying menstruation.
- Used to treat abnormal bleeding, irregular periods, menopausal syndrome or to postpone a period.

Indications:

- Certain types of breast cancer
- Symptoms of pre-menstrual syndrome
- Endometriosis Painful or heavy periods




Relax in that painful days

Tones Liver Health with...

- Well-tolerated PDA approved drug
- Supports healthy elimination of toxins
- Excellent detoxifier & rejuvenative for the liver
- Removes excess fat from the liver & improves the liver function
- Clears accumulated bile which is the leading cause of Jaundice
- Possesses cholagogue,hepato protective & liver stimulant action

Used for The Treatment of:

- Acute & Chronic Inflammatory Liver Diseases
- Alcoholic & Sluggish Liver
- Hepatocellular & Hepatic Canalicular Condition
- Cholestatic Liver Diseases
- Drug Induced Liver Toxicity



In Pre-eclampsia, Oligohydramnios & IUGR







technology

Offers multi-layer protection

No drug degradation & lump formation

Unique aroma retention

Lesser possibility of puncture of sachet








Serving Size 5g.

The One & Only Naturally Ionized Calcium

BOSCORI Grains from Okinawa Japan
TM

Coral Calcium 500mg & Vitamin D3 400 I.U. Tablets



Indications:

- Pregnancy & Lactation
- Fracture & Bone Loss
 - Osteoporosis
- Post Menopausal Osteoporosis
 - Osteomalacia
 - Puberty & adolescence

Gain Maximum Benefit with...

For acute Inflammatory and allergic Disorders

DEFCENTA-6

Deflazacort 6mg Tablets



- DEFCENTA-6 has no impairment of calcium absorption.
- DEFCENTA-6 has least effect on glucose metabolism than betamethasone.
- Hence DEFCENTA-6 is suitable for corticosteroid therapy in prediabetic & diabetic Patients
- 50% less side effects compared to prednisolone
- 11 times less chances of brain damage compared to prednisolone

Indicated in:

- Rheumatoid Arthritis Dystrophy Sarcodosis Juvenile indiopathic arthritis Renal Transplant
- Nephrotic Syndrome
 Ulcerative Colitis
 Asthma
 Severe Allergic Reactions

A glucocorticosteroid with immunosuppresive activity

New age Cod Liver Oil with the goodness of Vitamin E

Livcod-E

Vitamin E 400 I.U. + Cod Liver Oil 300mg Softgel Capsules



- Promotes healthy cardiovascular system
- Decrease cholesterol (TG) in blood hence protect from heart disease
- Prevents infertility in men & women
- Boost Immunity
- Prevent diabetes associated nerve damage.
- For healthy Nails, Hair And Skin

Essential co-prescription for better living

90% of Dysfunctional Uterine Bleeding Cases are Anovulatory



Norethisterone Accetate Control Release 10mg/15mg Tablets

Most effective drug for anovulatory bleeding

Arrests Bleeding Dramatically Regulates
Cyclical Rhythm

Prevents
Further recurrence

Indications

Endometriosis

Dysfunctional uterine bleeding

Secondary amenorrhea

Postponement of menstruation


Corrects the Hormonal Imbalance

Make The Bones Strong For A Long Run

Boscal-60K



Cholecalciferol 60,000 Softgel Capsules



- Maintain systemic homeostasis
- Modulates calcium metabolism & inflammatory balance
- Results in enhanced skeletal muscle strength & physical preformance
- Inhibits or reverse cellular changes associated with malignant transformation

Hypovitaminosis-D

Chronic Kidney Disease

Prostate Cancer Prevention

Diabetes / Cardiovascular Complications

Rickets / Osteomalacia

In Hyperuricemia & Chronic GOUT

Febucan 40

Febuxostat 40mg Tablets

- Approved FDA in 2009 for treatment of hyperuricemia
- Effective in reducing serum UA in hyperuricemic patients with gout
- More efficacious compared to allopurinol
- Can be used safely in patients with hypersensitivity reactions to allopurinol

Indications:

 Chronic Management of Hyperuricemia in Patients with Gout




The Futuristie Urate Lowering Therapy

In Edema & Inflammation

R

Enzoram Forte

Trypsin 96mg + Bromelain 180mg + Rutoside 200mg Tablets



Indications:

- Post surgical wounds
 Sprains & Strains
- Joint replacements
 Rheumatoid arthritis
- Fractures
 Hematoma
 Osteoarthritis

Also Available


Enzoram-D

Trypsin 48mg + Bromelain 90mg +
Rutoside 100mg + Diclofenac Sodium 50mg Tablets

Heals Wound.... Revives Flexibility

For **Haemorrhage**

Transec






- Is used to treat gastro-intestinal hemorrhage.
- Is used to treat excessive blood loss during surgery.
- Is used in orthopedic surgery to reduce blood loss.



Transec is Anti Fibrinolytic

Sense of well being



Indications:

• High Oxidative Stress • Convalescence • Cardiovascular Complications • Diabetes and Obesity

When life become dull, Give it the power of Lycopene




- Premature Aging
 CVS & CNS Disorders
 Hypercholesterolemic
 - Macular Degeneration
 Oxidative Stress



In Severe Neuropathic Pain

Nerocos-NT

Pregabalin (SR) 75mg + Nortriptyline 10mg Tablets



Pregabalin

 Novel, centrally acting neuromodulating agent, approved by USFDA in the treatment of painful Diabetic Peripheral Neuropathy & Post Herpetic Neuralgia.

Nortriptyline

 Works by increasing the amount of specific nerve transmitters in the nervous system, thereby reducing pain messages arriving in the brain.

Combination therapy ensures

- Statistically significant pain relieving effects than monotherapy.
- Sound pain free sleep.

Indications

- Generalized Anxiety Disorder - Post Herpatic Neuralgia - Diabetic Neuropathy - Fibromyalgia - Epilepsy

For Menorrhagia, Haemorrhage & Menstrual Pain

Transec-MF

Tranexamic Acid 500mg + Mefenamic Acid 250mg Tablets



Tranexamic Acid

Anti-Fibrinolytic

- Reduces menstrual blood flow by 54%
- Enhances blood clotting

Mefenamic Acid

Inhibits Prostaglandin

- Reduces uterine contraction
- Decreases Inflammation

Help your patient to come out of whirl of vertigo

Vertican 16

Betahistine Hydrochloride 16mg Tablet



R

- Improves blood flow in the inner ear.
- → Eases the symptoms of Meniere's disease.
- Reduces the number of attacks of positional Paroxysmal vertigo.

Indications

To control symptoms of dizziness and vertigo associated with Meniere's disease.

Dose:

16 (depending on severity) three times a day

Restores body equilibrium and stability

Bactoram 250 500

Cefuroxime Axetil 250mg/500mg Tablets



CEFUROXIME AXETIL

- Broad-spectrum cephalosporin antibiotic with increased stability to B-lactamases
- Most active cephalosporin for beta-lactamase-producing Haemophilus influenzae, organism that causes respiratory tract infections including bronchitis and sinusitis
- Cefuroxime has superior penetration into the CSF compared to other cephalosporins

Meningitis Bacterial Meningitis Bone & Joint Infections

Respiratory Tract Infections | Urinary Tract Infections

Septicaemia | Skin & Soft Tissue Infections

Perfect choice with high safety & efficacy

Right Support when it is Needed the Most



Docosahexaenoic Acid 200mg, L-Methylfolate 1000mcg, Methylcobalamin1500mcg, Pyridoxal-5 Phosphate 500mcg Softgel Capsules



L-Methylfolate:

Reduces complication in mother & fetus & exerts anti-depressant effect

Methylcobalamin:

Support a healthy nervous system


DHA:

 Augments physical and mental development of fetus by improving brain development cognitive & visual function

Pyridoxine 5 Phosphate :

Ensures maturation of RBC's

In acute chronic Liver Disorders



Granules for Oral Administration

- Stimulates regeneration of liver cells.
- Acts as free radical scavenger & protect liver
- Optimizes hepatic functions
- Facilitates recovery of impaired liver cells

ALCOHOLIC LIVER DAMAGE

LIVER CIRRHOSIS | VIRAL HEPATITIS

LIVER TOXICITY | FATTY LIVER

Enrich Bones with Essential Minerals

Boscal Forte

Calcitriol 0.25mg, Calcium Carbonate 500mg, Zinc 7.5mg, Magnesium 50mg, Vitamin K₂ 7 45mg, Methylcobalamin 1500mcg, L-Methylfolate 800mcg **Softgel Capsules**



- Calcium carbonate prevents bone loss, reduces fracture risk
- Calcitriol increases intestinal calcium absorption
- Mecobalamin relieves symptoms of paresthesia, vibratory loss and immobility
- L-methylfolate absorption diminishes in elderlies, therefore supplementation becomes important
- ▶ Vitamin K2-7 reduces fractures and maintains bone mineral density
- Prevents nerve damage and bone diseases in renal osteodystrophy
- Stimulates the intestinal calcium transport
- Redulates the intestinal fluid transport, mucosal integrity, immunity, gene expression & oxidative stress

FRACTURE & DISLOCATION

POST MENOPAUSAL OSTEOPOROSIS

OSTEOPOROSIS

PREGNANCY & LACTATION

Strong Support For Stronger Well Being

Effective Neuropathic therapy to treat burning sensation

NEROCOS-MNT

Pregabalin 75mg + Nortriptyline 10mg + Methylcobalamin 1500mcg Tablets

Pregabalin:

- FDA approved for postherpetic neuralgia
- More potent anti convulsant drugs
- Absorbs faster & great bioavailability

Nortriptyline:

- Selective serotonin reuptake inhibitors
- Increase levels of serotonin & norepinephrine

Methylcobalamin:

- Acts as neuroprotective, helps in regeneration of myelin sheath
- Repairs the damaged nerves & increase nerve conduction velocity

Indications:

- Diabetic Neuropathy
 Painful Diabetic Peripheral Neuropathy
 Fibromyalgia
 Trigeminal Neuralgia
 - Post-Herpetic Neuralgia
 Generalized Anxiety Disorder
 Adjunctive Therapy for local seizures

Say Goodbye to bacterial Vaginosis Forever

Lactalbumin 50mg + Fructo-Oligosaccharides 100mg + Lactobacillus acidophilus 2
billion Spores + Lactobacillus rhamnosus 2 billion Spores + Limosilactobacillus reuteri 2
billion Spores + Lactiplantibacillus plantarum 1 billion Spores + Lacticaseibacillus casei 1
billion Spores + Limosilactobacillus fermentum 1 billion Spores + Bifidobacterium
bifidum 1 billion Spores Capsules

Bacterial Vaginosis

Yeast Infection

Urinary Tract Infections

Listeriosis

In Vitro Fertilization

Intestinal Dysbiosis

Dosage:

1 capsule B.I.D for 14 days (7 days for assymptomatic BV or intermediate BV) or O.D for 28 days.

A Force To Draw Out the infections

Acedol-SR

Aceclofenac 200mg (SR) Tablets

- Effective in symptomatic treatment of rheumatoid arthritis
- Better safety profile than ketoprofen
- Favourable patient compliance
- Reduces pain and improves functional capacity more than paracetamol in patients with symptomatic OA of Knee
- Rheumatoid Arthritis
- Ankylosing Spondylitis
- Gouty Arthritis
- Osteoarthritis

Round the Clock Relief from Pain & Inflammation

